Programmation of the App. Pallazzo Lounge



Step 1:

Download the Teleco T - MATE from the Apple Store Or from Google Play according to your Smartphone.



Step 2:

Plug your T - Mate on 230V, within radio and Bluetooth range of your pergola (maximum 50m in the open air)



Step 3:

Turn your T-Mate box and carefully note the product code. Please respect the capital letters. Each T-Mate has ist own unique code.




Step 4:

Launch the T-Mate app on your Smartphone or on your tablet.


Step 5:

Click on the small blue gearing up right (setup).




Step 6:

This will open the following window.



Step 7:

Click on DETECTING BOARDS




Step 8:

Click on th small + symbol up right.



Step 9:

Give a name to your new installation.




PALLAZZO°

Step 10:


Con,firm the name of your new installation by clicking on OK. A new window appears where the name is written. You must enter the code of your box.

Confirm your code by clicking on CONNECT. The BLUETOOTH symbols turns blue when you are connected with the T-Mate. Attention, only one smartphone at a time can be connected.



Step 11:


After the Bluetooth symbol has turned blue, return to the SETUP and click on ROOMS



PALLAZZO°

Step 12:


In the ROOM menu, click on the + symbol up right. A new Room appears. Click on the icon and give it a name.



By clicking on Load your Room, you can associate one of your own pictures.

Step 13:

After having given a name to your new ROOM, click on the small + symbol up right. The following window appears. Choose the icon of the tilting slat (CLOSE / 25%/50%/75%/100%/OPEN).




Give a name to your tilting slat. Close and confirm by pressing on SAVE.

PALLAZZO°

Step 14:


By going back on the Room page, you will see that the new icon is present.



Step 15:


Repeat step 13 (by clicking on the small + symbol up right). Click on the second bulb symbol (OFF/25%/50%/75%/100%/ON).

Give a name to your new lighting circuit and memorize it by pressing on SAVE.




Step 16:

Back in your ROOM, you can see the icon of the bulb added to the icon of the slat.



Step 17:

Exit the SETUP mode until you see the icon of your ROOM (you have to press on DONE). Click on the icon, the following window appears.






Step 18:


Click on the icon of the tilting slat.

To continue the procedure, you must provide yourself with your remote control. The following picture appears on your smartphone.




Step 19:

Take the remote control and an unfolded paper clip.
You will find a small programmation button at the back of the remote control.



To copy the remote control on the application, push long on the programmation button until you hear a continuous beep. During this beep, press on one of the 7 buttons of the remote control. The beep stops and starts again. During the second beep, press on the OPEN button.



The continuous beep turns into a quick confirmation signal. The datas are copied. Repeat the operation for the lights. Caution: you must first place your remote on group N°2 before copying with P3.